



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Neo Cut 400 extrem

UFI: M7H0-10FF-T00F-VYNF

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cooling lubricant

### 1.3 Details of the supplier of the safety data sheet

Company name: EUROTECH Maier Ernst GmbH

Street/POB-No.: Herrschaftswiesen 5

Postal Code, city: AT-6842 Koblach

WWW: www.eurotech.at

E-mail: office@eurotech.at

Telephone: +43 (0)5523 53852

Telefax: +43 (0)5523 53852 4

Department responsible for information:

Telephone: +43 (0)5523 53852, Email: office@eurotech.at

### 1.4 Emergency telephone number

Giftzentrale Wien, Telephone: +43 (0)1-4064343

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### Special labelling

EUH210

Safety data sheet available on request.

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:

No data available

**SECTION 3: Composition / information on ingredients**

3.1 Substances: not applicable

**3.2 Mixtures**

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions:

Contains: Triethanolamine (CAS No. 102-71-6) 5-7,5 %, (2-Methoxymethylethoxy)propanol (CAS No. 34590-94-8) 1-2,5 % and 2 (Z)-octadec-9-enol (CAS No. 143-28-2)

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 290-676-5 CAS 90218-04-5	Benzenesulfonic acid, mono-C15-36-branched alkyl derivs., sodium salts	1 - 2.5 %	Aquatic Chronic 4; H413.

Full text of H- and EUH-statements: see section 16.

Additional information: Contains: &lt; 3% dimethylsulfoxide (DMSO) (mineral oil) IP 346.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.

Following skin contact: After contact with skin, wash with soap and plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.  
In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. In the event of persistent symptoms seek medical treatment.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons:

Full water jet

**5.2 Special hazards arising from the substance or mixture**

Hazardous vapours may form during fires.

Furthermore, there may develop: carbon monoxide and carbon dioxide.

**Neo Cut 400 extrem**

Material number 827

Page: 3 of 9

**5.3 Advice for firefighters**

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Hazchem-Code: -

Do not allow water used to extinguish fire to enter drains, ground or waterways.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with the substance. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

**6.2 Environmental precautions**

Do not allow to enter into ground-water, surface water or drains.

**6.3 Methods and material for containment and cleaning up**

Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance.

Additional information: Special danger of slipping by leaking/spilling product.

**6.4 Reference to other sections**

Refer additionally to section 8 and 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid contact with skin and eyes. Do not breathe gas/fumes/vapour/spray. Wash hands before breaks and after work. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. When handling large quantities, supply emergency spray.

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storerooms and containers:

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed. Protect from frost, heat and sunlight.

product, frozen: Mix up thoroughly before use.

Keep only in original container.

Storage temperature: 7 - 40 °C

Average shelf life of 12 months.

Hints on joint storage:

Do not store together with strong oxidizing agents.

Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end use(s)**

No information available.



## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
102-71-6	Triethanolamine	Ireland: 8 hours	5 mg/m <sup>3</sup>
34590-94-8	(2-Methoxymethylthoxy)propanol	Europe: IOELV: TWA	308 mg/m <sup>3</sup> ; 50 ppm (may be absorbed through the skin)
		Great Britain: WEL-TWA	308 mg/m <sup>3</sup> ; 50 ppm (may be absorbed through the skin)
		Ireland: 8 hours	308 mg/m <sup>3</sup> ; 50 ppm (may be absorbed through the skin)

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### Occupational exposure controls

- Respiratory protection:** Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A (= against vapours of organic substances) according to EN 14387.
- Hand protection:** Protective gloves according to EN 374.  
Glove material: impervious protective gloves, chemically resistant gloves.  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection:** Tightly sealed goggles according to EN 166.
- Body protection:** Wear suitable protective clothing.
- General protection and hygiene measures:**  
Do not breathe gas/fumes/vapour/spray. When using do not eat, drink or smoke.  
Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse. When handling large quantities, supply emergency spray.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance:** Physical state at 20 °C and 101.3 kPa: liquid  
Colour: yellow
- Odour:** characteristic
- Odour threshold:** No data available
- pH:** approx. 9.2 (5 % in water)
- Melting point/freezing point:** No data available
- Initial boiling point and boiling range:** 100 °C
- Flash point/flash point range:** 180 °C
- Evaporation rate:** No data available

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 29/4/2021

Version: 8.1

Language: en-GB,IE

Date of print: 15/7/2021

**Neo Cut 400 extrem**

Material number 827

Page: 5 of 9

Flammability:	not self-igniting
Explosion limits:	No data available
Vapour pressure:	at 20 °C: 23 hPa
Vapour density:	No data available
Density:	at 20 °C: 1.050 g/mL
Water solubility:	emulsifiable
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	Product is not explosive.
Oxidizing characteristics:	No data available

**9.2 Other information**

Ignition temperature:	305 °C
Solvent content:	8.6 %
Solid content:	0.1 %
Water content:	35.4 %

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Refer to 10.3

**10.2 Chemical stability**

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

No dangerous reactions with proper and specified storage and handling.

**10.4 Conditions to avoid**

Protect from heat and direct sunlight. Protect from frost.

**10.5 Incompatible materials**

Strong oxidizing agents.

**10.6 Hazardous decomposition products**

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available



## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Toxicological effects: Acute toxicity (oral): Lack of data.  
Acute toxicity (dermal): Lack of data.  
Acute toxicity (inhalative): Lack of data.  
Skin corrosion/irritation: Lack of data. Not an irritant  
Serious eye damage/irritation: Based on available data, the classification criteria are not met. Not an irritant  
Sensitisation to the respiratory tract: Lack of data.  
Skin sensitisation: Lack of data.  
Germ cell mutagenicity/Genotoxicity: Lack of data.  
Carcinogenicity: Lack of data.  
Reproductive toxicity: Lack of data.  
Effects on or via lactation: Lack of data.  
Specific target organ toxicity (single exposure): Lack of data.  
Specific target organ toxicity (repeated exposure): Lack of data.  
Aspiration hazard: Lack of data.

## SECTION 12: Ecological information

### 12.1 Toxicity

Further details: No data available

### 12.2 Persistence and degradability

Further details: No data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:  
No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.



## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 07 07 99 = wastes from the MFSU of fine chemicals and chemical products not otherwise specified

MFSU = manufacture, formulation, supply and use

Recommendation: Dispose of waste according to applicable legislation.

#### Package

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

Recommended cleansing agent: Water (with cleaning agent)

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.5 Environmental hazards

Marine pollutant:

no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 29/4/2021  
Version: 8.1  
Language: en-GB,IE  
Date of print: 15/7/2021

### Neo Cut 400 extrem

Material number 827

Page: 8 of 9

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Great Britain

Hazchem-Code: -  
No data available

#### National regulations - EC member states

Volatile organic compounds (VOC):  
7.64 % by weight = 80.22 g/L

Further regulations, limitations and legal requirements:  
No data available

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

### Further information

Wording of the H-phrases under paragraph 2 and 3:

H413 = May cause long lasting harmful effects to aquatic life.  
EUH210 = Safety data sheet available on request.





# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 29/4/2021  
Version: 8.1  
Language: en-GB,IE  
Date of print: 15/7/2021

## Neo Cut 400 extrem

Material number 827

Page: 9 of 9

### Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
OEL: Occupational Exposure Limit Value  
AS/NZS: Australian Standards/New Zealand Standards  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EN: European Standard  
EU: European Union  
MFSU: Manufacture, formulation, supply and use  
IATA: International Air Transport Association  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
TLV: Threshold Limit Value  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

Reason of change: Changes in section 1: product identifier (UFI)

Date of first version: 24/11/2001

### Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.