

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 11/6/2021

Version: 2.0

Language: en-GB

Date of print: 5/8/2021

**Neoval Top-Gun Bottle (open) 100 mL**

Material number 821001

Page: 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name: Neoval Top-Gun Bottle (open) 100 mL

UFI: W2Q0-F0DF-N004-U68U

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

General use: Lubricating oil with excellent anti-corrosion effect.

**1.3 Details of the supplier of the safety data sheet**

Company name: EUROTECH Maier Ernst GmbH

Street/POB-No.: Herrschaftswiesen 5

Postal Code, city: AT-6842 Koblach

WWW: www.eurotech.at

E-mail: office@eurotech.at

Telephone: +43 (0)5523 53852

Telefax: +43 (0)5523 53852 4

Department responsible for information:

Telephone: +43 (0)5523 53852, Email: office@eurotech.at

**1.4 Emergency telephone number**

Giftzentrale Wien, Telephone: +43 (0)1-4064343

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to EC regulation 1272/2008 (CLP)**

This mixture is classified as not hazardous.

**2.2 Label elements****Labelling (CLP)**

Hazard statements: not applicable

Precautionary statements: not applicable

**Special labelling**

EUH208

Contains Sulfonic acids, petroleum, calcium salts and Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts with TBN &lt;300. May produce an allergic reaction.

**2.3 Other hazards**

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 11/6/2021  
Version: 2.0  
Language: en-GB  
Date of print: 5/8/2021

## Neoval Top-Gun Bottle (open) 100 mL

Material number 821001

Page: 2 of 9

### SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: A mixture of Paraffin oil (CAS 8042-47-5), Corrosion inhibitors and Additives.

Hazardous ingredients:

Ingredient	Designation	Content	Classification
REACH 01-2119487077-29-xxxx EC No. 265-158-7 CAS 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	10 - 25 %	Asp. Tox. 1; H304.
EC No. 260-991-2 CAS 57855-77-3	Calcium bis(dinonylnaphthalenesulphonate)	1 - 3 %	Skin Irrit. 2; H315. Eye Irrit. 2; H319.
EC No. 263-093-9 CAS 61789-86-4	Sulfonic acids, petroleum, calcium salts	< 1 %	Skin Sens. 1B; H317.
list no. 939-603-7 CAS -	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts with TBN <300	< 1 %	Skin Sens. 1B; H317.

Full text of H- and EUH-statements: see section 16.

Additional information: Contains White mineral oil (petroleum). The maximum workplace exposure limits are, where necessary, listed in section 8.  
Information about Distillates (petroleum), hydrotreated light paraffinic: Contains: < 3% Dimethylsulfoxide (DMSO) (IP 346). The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

In case of inhalation: Provide fresh air. Seek medical aid in case of troubles.

Following skin contact: Remove residues with soap and water. Do not use solvents or thinners. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. In the event of discomfort seek medical treatment.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause sensitisation especially in sensitive humans.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

**Neoval Top-Gun Bottle (open) 100 mL**

Material number 821001

Page:

3 of 9

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet.

**5.2 Special hazards arising from the substance or mixture**

Combustible.

In case of fire may be liberated: sulphur oxides, carbon monoxide and carbon dioxide.

**5.3 Advice for firefighters**

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Hazchem-Code: -

Cool endangered containers with water spray and, if possible, remove from danger zone. Use water spray jet to knock down vapours. Do not breathe fumes. Do not allow water used to extinguish fire to enter drains, ground or waterways.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes, and clothing. Do not breathe vapour/aerosol/mist. Wear appropriate protective equipment. Provide for sufficient ventilation, particularly in closed rooms. Keep unprotected people away.

**6.2 Environmental precautions**

Do not allow to penetrate into soil, waterbodies or drains.

If necessary notify appropriate authorities.

**6.3 Methods and material for containment and cleaning up**

Dam spills with earth or sand. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Additional information:

Special danger of slipping by leaking/spilling product.

**6.4 Reference to other sections**

Refer additionally to section 8 and 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advices on safe handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing.

Do not breathe vapour/aerosol/mist. Wear appropriate protective equipment. Provide fresh air. When using do not eat, drink or smoke. Have eye wash bottle or eye rinse ready at work place.

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 11/6/2021

Version: 2.0

Language: en-GB

Date of print: 5/8/2021

**Neoval Top-Gun Bottle (open) 100 mL**

Material number 821001

Page:

4 of 9

Precautions against fire and explosion:

Take standard precautions to prevent fire.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Store at room temperature. Store in a dry place. Do not drop, drag or bang the container.

Protect from frost and exposure to sun.

**7.3 Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters**

Additional information: Contains no substances with occupational exposure limit values.

**8.2 Exposure controls**

Provide good ventilation and/or an exhaust system in the work area.

**Personal protection equipment****Occupational exposure controls**

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded.

Respiratory protection in case of aerosol or vapour formation:

Use combination filter type A/P according to EN 14387.

Hand protection: protective gloves according to EN 374 (oil-resistant).

Glove material: Nitrile rubber or Fluororubber (Viton)

Layer thickness: 0.4 mm.

Breakthrough time: &gt;60 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid contact with skin, eyes, and clothing. Do not breathe vapour/aerosol/mist. Have eye wash bottle or eye rinse ready at work place. When using do not eat, drink or smoke. Wash hands before breaks and after work.

**Environmental exposure controls**

Refer to "6.2 Environmental precautions".

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Colour: brown

Odour: characteristic

Odour threshold: No data available

pH: No data available

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 11/6/2021

Version: 2.0

Language: en-GB

Date of print: 5/8/2021

**Neoval Top-Gun Bottle (open) 100 mL**

Material number 821001

Page: 5 of 9

Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	> 200 °C
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	LEL (Lower Explosion Limit): 0.00 Vol-% UEL (Upper Explosive Limit): 0.00 Vol-%
Vapour pressure:	at 20 °C: 1 hPa
Vapour density:	No data available
Density:	at 20 °C: 0.88 g/mL (ASTM D 4052)
Water solubility:	immiscible
Partition coefficient: n-octanol/water:	$\geq 3.5 \log K(o/w)$ (Distillates (petroleum), hydrotreated light paraffinic) Based on the n-octanol/water partition coefficient accumulation in organisms is possible.
Auto-ignition temperature:	not self-igniting
Decomposition temperature:	No data available
Viscosity, kinematic:	at 40 °C: 41 mm <sup>2</sup> /s (DIN 51562-1)
Explosive properties:	Product is not explosive.
Oxidizing characteristics:	No data available

**9.2 Other information**

Ignition temperature: &gt; 260 °C (DIN 51794)

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Refer to 10.3

**10.2 Chemical stability**

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known.

**10.4 Conditions to avoid**

No data available

**10.5 Incompatible materials**

No data available

**10.6 Hazardous decomposition products**

No known hazardous decomposition products.

Thermal decomposition: No data available



## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Toxicological effects:	<p>The statements are derived from the properties of the single components. No toxicological data is available for the product as such.</p> <p>Acute toxicity (oral): Based on available data, the classification criteria are not met.</p> <p>ATEmix (calculated): ATE &gt; 2000 mg/kg</p> <p>Acute toxicity (dermal): Based on available data, the classification criteria are not met.</p> <p>ATEmix (calculated): ATE &gt; 2000 mg/kg</p> <p>Acute toxicity (inhalative): Based on available data, the classification criteria are not met.</p> <p>ATEmix (calculated): ATE &gt; 5 mg/L</p> <p>Skin corrosion/irritation: Based on available data, the classification criteria are not met.</p> <p>Serious eye damage/irritation: Based on available data, the classification criteria are not met.</p> <p>Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.</p> <p>Skin sensitisation: Based on available data, the classification criteria are not met.</p> <p>Contains Sulfonic acids, petroleum, calcium salts and Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts with TBN &lt;300. May produce an allergic reaction.</p> <p>Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.</p> <p>Carcinogenicity: Based on available data, the classification criteria are not met.</p> <p>Reproductive toxicity: Based on available data, the classification criteria are not met.</p> <p>Effects on or via lactation: Based on available data, the classification criteria are not met.</p> <p>Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.</p> <p>Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.</p> <p>Aspiration hazard: Based on available data, the classification criteria are not met.</p>
Other information:	<p>Information about Distillates (petroleum), hydrotreated light paraffinic:</p> <p>Acute oral toxicity:</p> <p>LD50, Rat: 5000 mg/kg</p> <p>Acute dermal toxicity:</p> <p>LD50, Rabbit: 2000-5000 mg/kg</p> <p>Acute inhalation toxicity</p> <p>LC50, Rat: &gt; 5 mg/L/4h</p>

## SECTION 12: Ecological information

### 12.1 Toxicity

Further details: No data available

### 12.2 Persistence and degradability

Further details: No data available

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 11/6/2021

Version: 2.0

Language: en-GB

Date of print: 5/8/2021

**Neoval Top-Gun Bottle (open) 100 mL**

Material number 821001

Page:

7 of 9

**12.3 Bioaccumulative potential**

Partition coefficient: n-octanol/water:

&gt;= 3.5 log K(o/w) (Distillates (petroleum), hydrotreated light paraffinic)

Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other adverse effects**

General information: Do not allow to enter undiluted resp. in large quantities into surface water or into drains.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Waste key number: 12 01 07\* = mineral-based machining oils free of halogens (except emulsions and solutions)

\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

**Package**Recommendation: Dispose of waste according to applicable legislation.  
Non-contaminated packages may be recycled.**SECTION 14: Transport information****14.1 UN number**

ADR/RID, IMDG, IATA-DGR:

not applicable

**14.2 UN proper shipping name**

ADR/RID, IMDG, IATA-DGR:

Not restricted

**14.3 Transport hazard class(es)**

ADR/RID, IMDG, IATA-DGR:

not applicable

**14.4 Packing group**

ADR/RID, IMDG, IATA-DGR:

not applicable

**14.5 Environmental hazards**

Marine pollutant: no



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 11/6/2021  
Version: 2.0  
Language: en-GB  
Date of print: 5/8/2021

### Neoval Top-Gun Bottle (open) 100 mL

Material number 821001

Page: 8 of 9

#### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Great Britain

Hazchem-Code: -  
No data available

#### National regulations - EC member states

Volatile organic compounds (VOC):  
0.02 % by weight

Further regulations, limitations and legal requirements:  
No data available

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

### Further information

Wording of the H-phrases under paragraph 2 and 3:

H304 = May be fatal if swallowed and enters airways.

H315 = Causes skin irritation.

H317 = May cause an allergic skin reaction.

H319 = Causes serious eye irritation.

EUH208 = Contains Sulfonic acids, petroleum, calcium salts and Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts with TBN <300. May produce an allergic reaction.





# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 11/6/2021  
Version: 2.0  
Language: en-GB  
Date of print: 5/8/2021

## Neoval Top-Gun Bottle (open) 100 mL

Material number 821001

Page: 9 of 9

### Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
OEL: Occupational Exposure Limit Value  
AS/NZS: Australian Standards/New Zealand Standards  
ATE: Acute toxicity estimate  
CAS: Chemical Abstracts Service  
CFR: Code of Federal Regulations  
CLP: Classification, Labelling and Packaging  
DMEL: Derived minimal effect level  
DNEL: Derived no-effect level  
EC: European Community  
EN: European Standard  
EU: European Union  
IATA: International Air Transport Association  
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IMDG Code: International Maritime Dangerous Goods Code  
LC50: Median lethal concentration  
LD50: Lethal dose 50%  
LEL: Lower Explosion Limit  
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships  
OSHA: Occupational Safety and Health Administration  
PBT: Persistent, bioaccumulative and toxic  
PNEC: Predicted no-effect concentration  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail  
TLV: Threshold Limit Value  
vPvB: Very persistent and very bioaccumulative  
WEL: Workplace Exposure Limit

Reason of change: Changes in section 1: product identifier (UFI)

Date of first version: 11/6/2021

### Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.