



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Fettlöser L10

UFI: 3VJ0-N0K0-M00V-EFQP

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent, alkaline
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company name: EUROTECH Maier Ernst GmbH

Street/POB-No.: Herrschaftswiesen 5

Postal Code, city: AT-6842 Koblach

WWW: www.eurotech.at

E-mail: office@eurotech.at

Telephone: +43 (0)5523 53852

Telefax: +43 (0)5523 53852 4

Department responsible for information:

Telephone: +43 (0)5523 53852, Email: office@eurotech.at

1.4 Emergency telephone number

GIZ-Nord, Göttingen
Telephone: +49 551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Skin Irrit. 2; H315 Causes skin irritation.

Eye Dam. 1; H318 Causes serious eye damage.

2.2 Label elements

Labelling (CLP)



Signal word:

Danger

Hazard statements:

H315

Causes skin irritation.

H318

Causes serious eye damage.

Precautionary statements:

P260

Do not breathe fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352

IF ON SKIN: Wash with plenty of water/soap.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

P362+P364

Take off contaminated clothing and wash it before reuse.



Special labelling

Text for labelling:

Contains: Isopropanolamine

Labelling for contents according to regulation (EC) No 648/2004, annex VII:

Contains less than 5% non-ionic surfactants, cationic surfactants, EDTA and salts thereof.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions:

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 201-162-7 CAS 78-96-6	Isopropanolamine Skin Corr. 1B; H314. Eye Dam. 1; H318.	< 5 %
list no. 931-996-3 CAS 9002-92-0	Dodecan-1-ol, ethoxylated Acute Tox. 4; H302. Eye Dam. 1; H318.	1 - 5 %
EC No. 203-905-0 CAS 111-76-2	2-Butoxyethanol Acute Tox. 4; H302. Acute Tox. 4; H312. Acute Tox. 4; H332. Skin Irrit. 2; H315. Eye Irrit. 2; H319. Acute toxicity estimate (ATE): Oral: 1200 mg/kg bw.	1 - 5 %
EC No. 225-768-6 CAS 5064-31-3	Trisodium nitrilotriacetate Acute Tox. 4; H302. Eye Irrit. 2; H319. Carc. 2; H351. Specific concentration limits (SCL): Carc. 2; H351: C ≥ 5 %	< 1 %
list no. 810-152-7 CAS 1554325-20-0	Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides Acute Tox. 4; H302. Skin Irrit. 2; H315. Eye Dam. 1; H318.	< 1 %
CAS 68439-46-3	Alcohol C9-11, ethoxylated Acute Tox. 4; H302. Skin Irrit. 2; H315. Eye Dam. 1; H318.	< 1 %

Full text of H- and EUH-statements: see section 16.

Additional information:

Labelling for contents according to regulation (EC) No 648/2004, annex VII:

Contains less than 5% non-ionic surfactants, cationic surfactants, EDTA and salts thereof.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

First aider: Pay attention to self-protection! If medical advice is needed, have product container or label at hand. Take off immediately all contaminated clothing.

In case of inhalation:

Move victim to fresh air; if necessary, provide artificial respiration or oxygen. Make sure he/she is warm and comfortable. If victim is at risk of losing consciousness, position and transport on their side. Immediately get medical attention.



Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Consult physician immediately.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently seek the immediate attention of an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms of poisoning may develop several hours following exposure. Victim should be under medical observation for at least 48 hours after exposure.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Extinguishing powder, water spray jet or carbon dioxide.
In case of large fires: Water spray jet or alcohol resistant foam.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours.
In case of fire may be liberated: nitrous fumes, sodium compounds, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Use a breathing apparatus independent of the ambient air (isolated apparatus) and a full protection outfit (suit) against chemicals.

Additional information:

Use fine water spray to cool endangered containers. Contaminated fire-fighting water must be collected separately. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes, and clothing.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb spillage to prevent material damage.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Apply neutralizing agents.

Never return spills in original containers for re-use.

Additional information:

Special danger of slipping by leaking/spilling product.



6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe vapour/aerosol. Do not get in eyes, on skin, or on clothing.
Wear appropriate protective equipment. Take off immediately all contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Work place should be equipped with a shower and an eye rinsing apparatus.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from heat and direct sunlight. Protect from frost.
Store containers in upright position.
Unsuitable materials: light metal
Qualified materials: Refined steel, Plastic
Provide for alkali-resistant floor.

Hints on joint storage:

Do not store together with acids, alkalis or light metals.
Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
111-76-2	2-Butoxyethanol	Europe: IOELV: STEL	246 mg/m ³ ; 50 ppm (may be absorbed through the skin)
		Europe: IOELV: TWA	98 mg/m ³ ; 20 ppm (may be absorbed through the skin)
		Ireland: 15 minutes	246 mg/m ³ ; 50 ppm (may be absorbed through the skin)
		Ireland: 8 hours	98 mg/m ³ ; 20 ppm (may be absorbed through the skin)

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.
Respiratory protection must be worn whenever the WEL levels have been exceeded.
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.



Hand protection:	Protective gloves according to EN 374. Glove material (alkali-resistant): Butyl caoutchouc (butyl rubber), polychloroprene Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to EN 166.
Body protection:	Wear alkali-resistant protective clothing.
General protection and hygiene measures:	Do not breathe vapour/aerosol. Do not get in eyes, on skin, or on clothing. Take off immediately all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Keep away from food, drink and animal feedingstuffs. Work place should be equipped with a shower and an eye rinsing apparatus.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	yellow
Odour:	characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	100 °C
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	not applicable
Decomposition temperature:	No data available
pH:	11
Viscosity, kinematic:	No data available
Water solubility:	completely miscible
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	at 20 °C: 23 hPa
Density:	at 20 °C: 1.02 g/mL
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	Product is not explosive.
Auto-ignition temperature:	Not self-igniting
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

refer to 10.3

10.2 Chemical stability

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

Reacts violently with acids.

10.4 Conditions to avoid

Protect from heat and direct sunlight. Protect from frost.

10.5 Incompatible materials

Acids, alkalis, light metals (Aluminium, zinc and tin)

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Thermal decomposition: No data available

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

ATEmix (calculated): ATE > 2000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

ATEmix (calculated): 2000 mg/kg < ATE ≤ 5000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

ATEmix (vapour, calculated): ATE >20 mg/L.

Skin corrosion/irritation: Skin Irrit. 2; H315 = Causes skin irritation.

Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties: No data available

Other information: No data available

SECTION 12: Ecological information**12.1 Toxicity**

Further details: No data available

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available



12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

AOX reference:

Product does not contain organically bound halogen (AOX).

General information:

Damaging effect on aquatic ecosystems possible due to change in the pH value. Do not allow to enter undiluted resp. in large quantities into surface water or into drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 20 01 29* = Detergents containing hazardous substances
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.
Do not dispose of with household waste. Do not empty into drains.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.
Recommended cleansing agent: Water, add detergent, if necessary.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - EC member states

Labelling of packaging with <= 125mL content



Signal word:

Danger

Hazard statements:

H318

Causes serious eye damage.

Precautionary statements:

P260

Do not breathe fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H302 = Harmful if swallowed.

H312 = Harmful in contact with skin.

H314 = Causes severe skin burns and eye damage.

H315 = Causes skin irritation.

H318 = Causes serious eye damage.

H319 = Causes serious eye irritation.

H332 = Harmful if inhaled.

H351 = Suspected of causing cancer.

Reason of change:

General revision

Date of first version:

27/1/2017

Department issuing data sheet: see section 1: Department responsible for information

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) No 2020/878

Fettlöser L10

Material number 837110

Revision date: 25/1/2023

Version: 3.3

Replaces version: 3.2

Language: en-IE

Date of print: 3/2/2023

Page: 9 of 9

Abbreviations and acronyms:

- Acute Tox.: Acute toxicity
- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- AOX: Adsorbable Organic Halogens
- AS/NZS: Australian Standards/New Zealand Standards
- Bw: Body weight
- Carc.: Carcinogenicity
- CAS: Chemical Abstracts Service
- CFR: Code of Federal Regulations
- CLP: Classification, Labelling and Packaging
- DMEL: Derived minimal effect level
- DNEL: Derived no-effect level
- EC: European Community
- EN: European Standard
- EQ: Excepted quantities
- EU: European Union
- Eye Dam.: Eye damage
- Eye Irrit.: Eye irritation
- IATA: International Air Transport Association
- IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IMDG Code: International Maritime Dangerous Goods Code
- MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
- OEL: Occupational Exposure Limit Value
- OSHA: Occupational Safety and Health Administration
- PBT: Persistent, bioaccumulative and toxic
- PNEC: Predicted no-effect concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
- Skin Corr.: Skin corrosion
- Skin Irrit.: Skin irritation
- TLV: Threshold Limit Value
- TRGS: Technical Rules for Hazardous Substances
- vPvB: Very persistent and very bioaccumulative
- WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.